

SAW BLADE UNIVERSAL Ø210MM - BORE 30MM






€41,90 - €58,90 (excl. VAT)


Universal saw blade with alternate top bevel teeth, suited for cutting of different wood types or wooden panels. Make sure to use the right amount of teeth to achieve optimal results of your project. A low number of teeth is suited for fast-paced and rough sawing of solid wood. A high number of teeth calls for a lower operating speed but guarantees a clean cut of both solid wood and wood panels. Available with different number of teeth.

SKU: N/A

VARIATIONS

Image	SKU	Description	Number of teeth	Price
	KL-AA21002430		24	€41,90 (excl. VAT)
	KL-AA21003630		36	€45,60 (excl. VAT)
	KL-AA21006430		64	€58,90 (excl. VAT)

GALERIJAFBEELDINGEN



Universal saw blade with alternate top bevel teeth, suited for cutting of different wood types or wooden panels. Make sure to use the right amount of teeth to achieve optimal results of your project. A low number of teeth is suited for fast-paced and rough sawing of solid wood. A high number of teeth calls for a lower operating speed but guarantees a clean cut of both solid wood and wood panels.

Available with different number of teeth.

PRODUCT INFORMATION

- Fine cut HW sawblade

- Alternate top bevel teeth
- Cutting along and across grain
 - Hard and soft wood
- Sawblade with 36 teeth

DESCRIPTION

Universal saw blade with alternate top bevel teeth, suited for cutting of different wood types or wooden panels. Make sure to use the right amount of teeth to achieve optimal results of your project. A low number of teeth is suited for fast-paced and rough sawing of solid wood. A high number of teeth calls for a lower operating speed but guarantees a clean cut of both solid wood and wood panels. Available with different number of teeth.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	1 kg
Diameter sawblade	210mm
Shaft diameter	30 mm
Thickness teeth	2,8mm
Thickness Sawblade	1,8mm
Number of teeth	24, 36, 64
Pin holes	2/7/42