

SAW BLADE 'XTRA CUT' FOR ALUMINIUM HOLLOW Ø250MM - BORE 32MM



€92,00 - €95,00 (excl. VAT)

Saw blade 'Xtra Cut' with FZ/TR 'triple chip' teeth and a positive hook angle of 5°. This saw blade is suited for use with aluminium (hollow), PVC and non-ferro metals and can be used for cutting of aluminium profiles and extrusions with a thickness between 2 and 5mm. No-noise and less vibration thanks to a special synthetic resin filled in the slots to increase the stability and reduce vibrations. No noise.

Available with different number of teeth.


SKU: N/A



VARIATIONS

Image	SKU	Description	Number of teeth	Price
Maria Page 2002 200 200 200 200 200 200 200 200 2	KL-LA2500803	32	80	€95,00 (excl. VAT)
Mem Per Jean	KL-LA2500603	32	60	€92,00 (excl. VAT)

GALERIJAFBEELDINGEN



Saw blade 'Xtra Cut' with FZ/TR 'triple chip' teeth and a positive hook angle of 5°. This saw blade is suited for



use with aluminium (hollow), PVC and non-ferro metals and can be used for cutting of aluminium profiles and extrusions with a thickness between 2 and 5mm. To be used on table saws. These saw blades offer great finish and longer life. No-noise and less vibration thanks to a special synthetic resin filled in the slots to increase the stability and reduce vibrations. No noise.

Make sure to use the right amount of teeth to achieve optimal results of your project. A low number of teeth is suited for fast-paced and rough sawing. A high number of teeth calls for a lower operating speed but guarantees a clean cut. Available with different number of teeth.

PRODUCT INFORMATION

- Fine cut HW saw blade
- FZ/TR triple chip teeth
- For aluminium profiles
- For PVC and non-ferro metals
 - No noise
- Increased stability and reduced vibrations
 - Positive hook angle 5°

DESCRIPTION

Saw blade 'Xtra Cut' with FZ/TR 'triple chip' teeth and a positive hook angle of 5°. This saw blade is suited for use with aluminium (hollow), PVC and non-ferro metals and can be used for cutting of aluminium profiles and extrusions with a thickness between 2 and 5mm. To be used on table saws. These saw blades offer great finish and longer life. No-noise and less vibration thanks to a special synthetic resin filled in the slots to increase the stability and reduce vibrations. No noise. Make sure to use the right amount of teeth to achieve optimal results of your project. A low number of teeth is suited for fast-paced and rough sawing. A high number of teeth calls for a lower operating speed but guarantees a clean cut. Available with different number of teeth.

No video available for this product!

DOWNLOADS

No download availble.



ADDITIONAL INFORMATION

Weight 1 kg

Diameter sawblade 250mm

Shaft diameter 32mm

Thickness teeth 3,4mm

Thickness Sawblade 2,6mm

Number of teeth 60, 80

Pin holes 2/11/63