

SLOT CUTTER SPECIAL FIXING SCREW (Z=3) BORE 7,94MM - Ø47,6MM



€24,60 - €25,50 (excl. VAT)

These slot cutters are suitable for a wide range of applications. Quickly and easily cut the right pin and groove connections for your project. The different cutting lengths of the cutters ensure that you always get the correct thickness of your pins or slots. Thanks to its cutting edges in high-quality carbide (widia), this cutter cuts through most types of wood without any problems.

This slot cutter was specifically developed to be used with the arbor C117280R. The fixing screw Z051015R used on this spindle has a special head angle that allows it to remain flat on the cutter level.


Available in different cutting lengths between 3mm and 6mm.

SKU: N/A

VARIATIONS

Image	SKU	Description	Cutting length	Price
	KL-C118860R		6mm	€25,50 (excl. VAT)
	KL-C118850R		5mm	€25,50 (excl. VAT)
	KL-C118840R		4mm	€25,20 (excl. VAT)
	KL-C118830R		3mm	€24,60 (excl. VAT)

GALERIJAFBEELDINGEN



These slot cutters are suitable for a wide range of applications. Quickly and easily cut the right pin and groove connections for your project. The different cutting lengths of the cutters ensure that you always get the correct thickness of your pins or slots. Thanks to its cutting edges in high-quality carbide (widia), this cutter cuts through most types of wood without any problems.

This slot cutter was specifically developed to be used with the arbor C117280R. The fixing screw Z051015R used on this spindle has a special head angle that allows it to remain flat on the cutter level.

Available in different cutting lengths between 3mm and 6mm.

PRODUCT INFORMATION

- HW carbide cutting edges
- For tongue and groove
 - For pins and slots
- For router milling machines or CNC machines

DESCRIPTION

These slot cutters are suitable for a wide range of applications. Quickly and easily cut the right pin and groove

connections for your project. The different cutting lengths of the cutters ensure that you always get the correct thickness of your pins or slots. Thanks to its cutting edges in high-quality carbide (widia), this cutter cuts through most types of wood without any problems. This slot cutter was specifically developed to be used with the arbor C117280R. The fixing screw Z051015R used on this spindle has a special head angle that allows it to remain flat on the cutter level. Available in different cutting lengths between 3mm and 6mm.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	0,05 kg
diameter	47,6mm
Shaft diameter	7,94mm
Cutting length	3mm, 4mm, 5mm, 6mm
Cutting edges	3