


SPINDLE MOULDER TT3085/4




€1 .152,89 (excl. VAT)

Compact but powerful spindle moulder, suitable for use in any small workshop or at home. The machine can be used at four speeds and is driven by a 230V motor that delivers 2HP. This allows the machine to handle a wide range of applications. Suitable for standard milling work, rebating or (with optional adapter and collet) profiling using router bits. Because of its low speed of 1400 rpm, this milling machine is also suitable for sanding. With the help of our accessories, cutters and adaptors, the possibilities of this machine are thus endless.

The TT3085 has a stable, cast iron work table that rests on a sturdy, steel chassis. Standard equipped with aluminium guide and sliding table (700 mm) on ball bearings. Adaptor for router bits is optionally available. Wheel kit optionally available.

SKU: 0SPCF30854

GALERIJAFBEELDINGEN



Compact but powerful spindle moulder, suitable for use in any small workshop or at home. The machine can be used at four speeds and is driven by a 230V motor that delivers 2HP. This allows the machine to handle a wide range of applications. Suitable for standard milling work, rebating or (with optional adapter and collet) profiling using router bits. Because of its low speed of 1400 rpm, this milling machine is also suitable for sanding. With the help of our accessories, cutters and adaptors, the possibilities of this machine are thus endless.

The TT3085 has a stable, cast iron work table that rests on a sturdy, steel chassis. Standard equipped with

aluminium guide and sliding table (700 mm) on ball bearings. Adaptor for router bits is optionally available.
Wheel kit optionally available.

PRODUCT INFORMATION

- Spindle moulder 30mm
 - Four speeds
 - Milling tenons
 - Sanding
- Compact and sturdy design
 - Adaptor for router bits
 - Tenoning cart

DESCRIPTION

Compact but powerful spindle moulder, suitable for use in any small workshop or at home. The machine can be used at four speeds and is driven by a 230V motor that delivers 2HP. This allows the machine to handle a wide range of applications. Suitable for standard milling work, rebating or (with optional adapter and collet) profiling using router bits. Because of its low speed of 1400 rpm, this milling machine is also suitable for sanding. With the help of our accessories, cutters and adaptors, the possibilities of this machine are thus endless. The TT3085 has a stable, cast iron work table that rests on a sturdy, steel chassis. Standard equipped with aluminium guide and sliding table (700 mm) on ball bearings. Adaptor for router bits is optionally available. Wheel kit optionally available.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	75 kg
Motor	2 PK

Voltage	230 V
Shaft diameter	30 mm
No-load speed	1400rpm, 4000rpm, 6000rpm, 9000rpm
Table opening	150mm
Max. Ø cutterhead	140mm
Height of groove	100mm
Worktable	600x400mm
Sliding table	400x250mm