

SURFACE ROUTER FR160P




€469,91 (excl. VAT)

Professional router from Virutex for milling wood or plastics. The FR160P provides high precision and stability while working and is powered by a powerful 1500W motor. This makes the machine extremely suitable for most milling and copying work. The routing depth is adjustable between 0-60mm and is easily adjusted using six fixed positions. Thanks to its powerful motor and fixed adjustable height, this router is perfect for making dovetail joints (in combination with mould PL11). Locking system of the motor shaft for easy replacement of the router bit. Supplied as standard with guiding ring Ø19mm and collet reducer for router bits with shank Ø8mm and Ø6mm.

SKU: VIR-FR160P

GALERIJAFBEELDINGEN



Professional router from Virutex for milling wood or plastics. The FR160P provides high precision and stability while working and is powered by a powerful 1500W motor. This makes the machine extremely suitable for most milling and copying work. Ideal for deburring edges, copying milling, milling frames, cut-outs for carpentry, etc.

The routing depth is adjustable between 0-60mm and is easily adjusted using six fixed positions.

The lateral conductor, in turn, is equipped with a micrometric control to work precisely at all times. Easy to set using a rotary knob. Thanks to its powerful motor and fixed adjustable height, this router is perfect for making dovetail joints (in combination with mould PL11). Equipped with a connection for dust extraction. Locking system of the motor shaft for easy replacement of the router bit. Supplied as standard with guiding ring Ø19mm and collet reducer for router bits with shank Ø8mm and Ø6mm.

PRODUCT INFORMATION

- Router milling machine
 - Depth: 0-60mm
- For most common routing and copying work
 - For dovetail joints
 - Precision and stability
 - Extra dust protection

DESCRIPTION

Professional router from Virutex for milling wood or plastics. The FR160P provides high precision and stability while working and is powered by a powerful 1500W motor. This makes the machine extremely suitable for most milling and copying work. Ideal for deburring edges, copying milling, milling frames, cut-outs for carpentry, etc.

The routing depth is adjustable between 0-60mm and is easily adjusted using six fixed positions. The lateral conductor, in turn, is equipped with a micrometric control to work precisely at all times. Easy to set using a rotary knob. Thanks to its powerful motor and fixed adjustable height, this router is perfect for making dovetail joints (in combination with mould PL11). Equipped with a connection for dust extraction. Locking system of the motor shaft for easy replacement of the router bit. Supplied as standard with guiding ring Ø19mm and collet reducer for router bits with shank Ø8mm and Ø6mm.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	5,4 kg
Input Power	1500W
No-load speed	25000rpm
Routing depth	0-60mm
Max Ø router bit	40mm
Collet	12mm