

TILTABLE MITRE SAW TM33W WITH UPPER TABLE




€1 .014,00 (excl. VAT)

Portable, tiltable mitre saw with precision laser on the saw blade for high precision cutting. Standard equipped with a Ø300mm saw blade and 48 teeth in high quality carbide. Cutting capacity up to 160x95mm or 200x45mm (with attachment ref. 3346388). Thanks to its robust design and weight, this mitre saw is ideally suited for use on the site. The machine is both rotatable and tiltable between 0° and 45°. With the aid of the top table and guide, this machine can carry out additional sawing operations. The maximum cutting height on the upper table is adjustable between 0mm and 55mm. A mitre guide is optionally available for the upper table. With ergonomically designed handle suitable for both left and right-handers.

SKU: VIR-TM33W

GALERIJAFBEELDINGEN



Portable, tiltable mitre saw with precision laser on the saw blade for high precision cutting. The laser starts automatically or can be switched off manually when using the upper table. Standard equipped with a Ø300mm saw blade and 48 teeth in high quality carbide. Cutting capacity up to 160x95mm or 200x45mm (with attachment ref. 3346388). Thanks to its robust design and weight, this mitre saw is ideally suited for use on the site. With ergonomically designed handle suitable for both left and right-handers.

Thanks to the precisely rotating base with a clear marking of the main grades, you can cut mitre cuts up to 45° quickly and easily. In addition, the machine can also be tilted between 0° and 45° to chamfer with great

precision. With the aid of the top table and guide, this machine can carry out additional sawing operations. The maximum cutting height on the upper table is adjustable between 0mm and 55mm. With the help of the guide you always saw perfectly straight pieces. Optionally, a mitre guide is available for precise angled cutting.

The gas spring, the soft start of the engine and the double-toothed belt transmission guarantee a high level of comfort while working. This in turn translates into improved precision and a better quality end product. In terms of safety, the TM33W is equipped with a patented brake on the saw blade. This brake ensures that the blade comes to a complete stop within seconds of the machine being switched off. The machine is also equipped with a protection against unintentional start-up and an additional saw blade protection.

A set of clamps to clamp the workpiece is available as an option. Use it, for example, for cutting aluminium.

PRODUCT INFORMATION

- Tilttable mitre saw
- Rotatable and tilttable 0°-45°
- Precision laser on the saw blade
 - Easily adjustable
- Ergonomically designed handle
 - Upper table with guide

DESCRIPTION

Portable, tilttable mitre saw with precision laser on the saw blade for high precision cutting. The laser starts automatically or can be switched off manually when using the upper table. Standard equipped with a Ø300mm saw blade and 48 teeth in high quality carbide. Cutting capacity up to 160x95mm or 200x45mm (with attachment ref. 3346388). Thanks to its robust design and weight, this mitre saw is ideally suited for use on the site. With ergonomically designed handle suitable for both left and right-handers. Thanks to the precisely rotating base with a clear marking of the main grades, you can cut mitre cuts up to 45° quickly and easily. In addition, the machine can also be tilted between 0° and 45° to chamfer with great precision. With the aid of the top table and guide, this machine can carry out additional sawing operations. The maximum cutting height on the upper table is adjustable between 0mm and 55mm. With the help of the guide you always saw perfectly straight pieces. Optionally, a mitre guide is available for precise angled cutting. The gas spring, the soft start of the engine and the double-toothed belt transmission guarantee a high level of comfort while working. This in turn translates into improved precision and a better quality end product. In terms of safety, the TM33W is equipped with a patented brake on the saw blade. This brake ensures that the blade comes to a complete stop within seconds of the machine being switched off. The machine is also equipped with a protection against

unintentional start-up and an additional saw blade protection. A set of clamps to clamp the workpiece is available as an option. Use it, for example, for cutting aluminium.

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	20 kg
Input Power	1500W
Diameter sawblade	300mm
Height upper table guide	57mm
No-load speed	3700rpm
Cutting height top table	0-55mm
Cut 0° x 0°	160x95mm
Cut 0° x 0° with option 3346388	200x45mm
Cut 0° x 45°	110x95mm
Cut 45° x 0°	160x64mm
Cut 45° x 45°	75x64mm