

TILTABLE MITRE SAW TS233W FOR ALUMINIUM



€1 .172,89 (excl. VAT)

Identical to model TM233W but without top table. Tiltable mitre saw for a high-precision cut. Standard equipped with a Ø300mm saw blade and 72 teeth in high quality carbide, suitable for cutting aluminium.

In addition, equipped with two clamps at the front to secure your workpiece. The machine is both rotatable and tiltable between 0° and 45°. With ergonomically designed handle suitable for both left and right-handers.

SKU: VIR-TS233W

Identical to model TM233W but without top table. Tiltable mitre saw for a high-precision cut. Standard equipped

with a Ø300mm saw blade and 72 teeth in high quality carbide, suitable for cutting aluminium. In addition, equipped with a set of clamps at the front to secure your workpiece. Cutting capacity up to 160x95mm or 200x45mm. Thanks to its robust design and weight, this mitre saw is ideally suited for use on the site. With ergonomically designed handle suitable for both left and right-handers. Thanks to the precisely rotating base with a clear marking of the main grades, you can cut mitre cuts up to 45° quickly and easily. In addition, the machine can also be tilted between 0° and 45° to chamfer with great precision.

The gas spring, the soft start of the engine and the double-toothed belt transmission guarantee a high level of comfort while working. This in turn translates into improved precision and a better quality end product. In terms of safety, the TM33W is equipped with a patented brake on the saw blade. This brake ensures that the blade comes to a complete stop within seconds of the machine being switched off. The machine is also equipped with a protection against unintentional start-up and an additional saw blade protection.

PRODUCT INFORMATION

- Tilttable mitre saw
- Rotatable and tilttable 0°-45°
 - Easily adjustable
- Ergonomically designed handle
 - Zaagblad voor aluminium
 - Set of clamps

DESCRIPTION

Identical to model TM233W but without top table. Tilttable mitre saw for a high-precision cut. Standard equipped with a Ø300mm saw blade and 72 teeth in high quality carbide, suitable for cutting aluminium. In addition, equipped with a set of clamps at the front to secure your workpiece. Cutting capacity up to 160x95mm or 200x45mm. Thanks to its robust design and weight, this mitre saw is ideally suited for use on the site. With ergonomically designed handle suitable for both left and right-handers. Thanks to the precisely rotating base with a clear marking of the main grades, you can cut mitre cuts up to 45° quickly and easily. In addition, the machine can also be tilted between 0° and 45° to chamfer with great precision. The gas spring, the soft start of the engine and the double-toothed belt transmission guarantee a high level of comfort while working. This in turn translates into improved precision and a better quality end product. In terms of safety, the TM33W is equipped with a patented brake on the saw blade. This brake ensures that the blade comes to a complete stop within seconds of the machine being switched off. The machine is also equipped with a protection against unintentional start-up and an additional saw blade protection.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	19 kg
Input Power	1500W
Diameter sawblade	300mm
No-load speed	3700rpm
Cut 0° x 0°	95x160mm
Cut 0° x 45°	95x110mm
Cut 45° x 0°	64x160mm
Cut 45° x 45°	64x75mm