

## TILTABLE MITRE SAW WITH TOP TABLE TM233W FOR ALUMINIUM



**€1 .172,28 (excl. VAT)**

Portable, tiltable mitre saw for high precision cutting. Standard equipped with a Ø300mm saw blade and 72 teeth in high quality carbide, suitable for cutting aluminium. In addition, equipped with two clamps at the front to secure your workpiece. The machine is both rotatable and tiltable between 0° and 45°. With the aid of the top table and guide, this machine can carry out additional sawing operations. The maximum cutting height on the upper table is adjustable between 0mm and 55mm. A mitre guide is optionally available for the upper table. With ergonomically designed handle suitable for both left and right-handers.

**SKU:** VIR-TM233W

Portable, tiltable mitre saw for high precision cutting. Standard equipped with a Ø300mm saw blade and 72 teeth in high quality carbide, suitable for cutting aluminium. In addition, equipped with two clamps at the front to secure your workpiece. Cutting capacity up to 160x95mm or 200x45mm. Thanks to its robust design and weight, this mitre saw is ideally suited for use on the site. With ergonomically designed handle suitable for both left and right-handers.

Thanks to the precisely rotating base with a clear marking of the main grades, you can cut mitre cuts up to 45° quickly and easily. In addition, the machine can also be tilted between 0° and 45° to chamfer with great precision. With the aid of the top table and guide, this machine can carry out additional sawing operations. The maximum cutting height on the upper table is adjustable between 0mm and 55mm. With the help of the guide you always saw perfectly straight pieces. Optionally, a mitre guide is available for precise angled cutting.

The gas spring, the soft start of the engine and the double-toothed belt transmission guarantee a high level of comfort while working. This in turn translates into improved precision and a better quality end product. In terms of safety, the TM33W is equipped with a patented brake on the saw blade. This brake ensures that the blade comes to a complete stop within seconds of the machine being switched off. The machine is also equipped with a protection against unintentional start-up and an additional saw blade protection.

## PRODUCT INFORMATION

- Tiltable mitre saw
- Rotatable and tiltable 0°-45°
  - Easily adjustable
- Ergonomically designed handle
  - Upper table with guide
  - Saw blade for aluminium
    - Set of clamps

## DESCRIPTION

Portable, tiltable mitre saw for high precision cutting. Standard equipped with a Ø300mm saw blade and 72 teeth in high quality carbide, suitable for cutting aluminium. In addition, equipped with two clamps at the front to secure your workpiece. Cutting capacity up to 160x95mm or 200x45mm. Thanks to its robust design and weight, this mitre saw is ideally suited for use on the site. With ergonomically designed handle suitable for both left and right-handers. Thanks to the precisely rotating base with a clear marking of the main grades, you can cut mitre cuts up to 45° quickly and easily. In addition, the machine can also be tilted between 0° and 45° to chamfer with great precision. With the aid of the top table and guide, this machine can carry out additional

sawing operations. The maximum cutting height on the upper table is adjustable between 0mm and 55mm. With the help of the guide you always saw perfectly straight pieces. Optionally, a mitre guide is available for precise angled cutting. The gas spring, the soft start of the engine and the double-toothed belt transmission guarantee a high level of comfort while working. This in turn translates into improved precision and a better quality end product. In terms of safety, the TM33W is equipped with a patented brake on the saw blade. This brake ensures that the blade comes to a complete stop within seconds of the machine being switched off. The machine is also equipped with a protection against unintentional start-up and an additional saw blade protection.

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

<b>Weight</b>	19 kg
<b>Input Power</b>	1500W
<b>Diameter sawblade</b>	300mm
<b>No-load speed</b>	3700rpm
<b>Cut 0° x 0°</b>	95x160mm
<b>Cut 0° x 45°</b>	95x110mm
<b>Cut 45° x 0°</b>	64x160mm
<b>Cut 45° x 45°</b>	64x75mm