

TRANSFORMER 3X230V - 3X400V



€408,00 - €1 .804,00 (excl. VAT)

With these transformers, a machine with 3 x 400 V can easily be converted to 3 x 230 V, or vice versa, in accordance with CE legislation.

SKU: N/A

VARIATIONS

Image	SKU	Description	Power (kVA)	Price
	TRA-01KVA	Current at 400 V: 1,4 A Current at 230 V: 2,5 A Width: 240 mm Depth: 190 mm Height: 250 mm	1 kVA	€408,00 (excl. VAT)
	TRA-02KVA	Current at 400 V: 2,9 A Current at 230 V: 5,0 A Width: 265 mm Depth: 180/210 mm Height: 265 mm	2 kVA	€468,00 (excl. VAT)
	TRA-03KVA	Current at 400 V: 4,3 A Current at 230 V: 7,5 A Breedte: 265 mm Depth: 180/210 mm Height: 265 mm	3 kVA	€528,00 (excl. VAT)
	TRA-04KVA	Current at 400 V: 5,7 A Current at 230 V: 10,0 A Breedte: 265 mm Depth: 180/210 mm Height: 265 mm	4 kVA	€580,00 (excl. VAT)

Image	SKU	Description	Power (kVA)	Price
	TRA-063KVA	Current at 400 V: 9,1 A Current at 230 V: 15,8 A Width: 310 mm Depth: 200/225 mm Height: 340 mm	6,3 kVA	€748,00 (excl. VAT)
	TRA-08KVA	Current at 400 V: 11,5 A Current at 230 V: 20,0 A Breedte: 310 mm Depth: 200/225 mm Height: 340 mm	8 kVA	€866,00 (excl. VAT)
	TRA-10KVA	Current at 400 V: 14,4 A Current at 230 V: 25,1 A Width: 370 mm Depth: 265/310 mm Height: 370 mm	10 kVA	€1 .088,00 (excl. VAT)
	TRA-13KVA	Current at 400 V: 18,7 A Current at 230 V: 32,6 A Breedte: 370 mm Depth: 265/310 mm Height: 370 mm	13 kVA	€1 .210,00 (excl. VAT)

Image	SKU	Description	Power (kVA)	Price
	TRA-16KVA	Current at 400 V: 23,1 A Current at 230 V: 40,1 A Breedte: 370 mm Depth: 265/310 mm Height: 370 mm	16 kVA	€1 .456,00 (excl. VAT)
	TRA-20KVA	Current at 400 V: 28,8 A Current at 230 V: 50,2 A Width: 420 mm Diepte: 265/310 mm Height: 460 mm	20 kVA	€1 .672,00 (excl. VAT)
	TRA-25KVA	Current at 400 V: 36,0 A Current at 230 V: 62,7 A Breedte: 420 mm Diepte: 265/310 mm Height: 460 mm	25 kVA	€1 .804,00 (excl. VAT)

GALERIJAFBEELDINGEN



Vermogen Puissance	Stroom Ampère 400V	Stroom Ampère 230V	Breedte Largeur	Diepte EP	Hoogte Hauteur	Totaal gewicht Poids
KVA	A	A	mm	mm	mm	KG
1	1,4	2,5	240	190	250	5,5 kg
2	2,9	5	265	180/210	265	10,7 kg
3	4,3	7,5	265	180/210	265	13,3 kg
4	5,7	10	265	180/210	264	18 kg
6,3	9,1	15,8	310	200/225	340	22,8 kg
8	11,5	20	310	200/225	340	26,3 kg
10	14,4	25,1	370	265/310	370	38,4 kg
13	18,7	32,6	370	265/310	370	42,9 kg
16	23,1	40,1	370	265/310	370	49,8 kg
20	28,8	50,2	420	265/310	460	62,7 kg
25	36	62,7	420	265/310	460	67 kg

More powerful woodworking machines usually operate at a voltage of 3 x 400 V. Small joinery shops often only have 3 x 230 V, however, and the manufacturers of these machines often do not want to convert them or they charge much too high a price for this.

In these cases, our transformers offer the solution: with these transformers, a machine with 3 x 400 V can easily be converted to 3 x 230 v, or vice versa, in accordance with CE legislation.

Ask our technical team for a **free** calculation, so we can offer you the right transformer for your power.

PRODUCT INFORMATION

- Standard casing
- Equipped with handles for moving them around
- Reversible: 230 V => 400 V or 400 V => 230 V
 - Copper windings
 - Temperature class E
 - Insulation class 1,1 kV
- IEC 726 standard - in accordance with CE

DESCRIPTION

More powerful woodworking machines usually operate at a voltage of 3 x 400 V. Small joinery shops often only have 3 x 230 V, however, and the manufacturers of these machines often do not want to convert them or they charge much too high a price for this. In these cases, our transformers offer the solution: with these transformers, a machine with 3 x 400 V can easily be converted to 3 x 230 v, or vice versa, in accordance with CE legislation. Ask our technical team for a **free** calculation, so we can offer you the right transformer for your power.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	N/A
Dimensions	N/A
Power (kVA)	1 kVA, 2 kVA, 3 kVA, 4 kVA, 6,3 kVA, 8 kVA, 10 kVA, 13 kVA, 16 kVA, 20 kVA, 25 kVA